

CAUTION-This product contains BORON AND MOLYBDENUM. Determine plant sensitivity prior to use. Plants containing excess MOLYBDENUM are toxic to livestock. Crops sensitive to either or both of these two elements may be injured.



**SOLUBLE FERTILIZER CONCENTRATE WITH EDTA CHELATED MINOR ELEMENTS
CAN ALSO BE USED ON OTHER CROPS WHERE HIGH POTASH IS NEEDED**

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	4%
4.0% Nitrate Nitrogen	
AVAILABLE PHOSPHATE (P ₂ O ₅)	2%
SOLUBLE POTASH (K ₂ O)	41%
Magnesium (Mg) Total	2.00%
2.00% Water Soluble Magnesium (Mg)	
Sulfur (S) Total	11.77%
11.77% Combined Sulfur (S)	
Boron (B)	0.02%
Copper (Cu)	0.05%
0.05% Chelated Copper (Cu)	
Iron (Fe)	0.10%
0.10% Chelated Iron (Fe)	
Manganese (Mn)	0.05%
0.05% Chelated Manganese (Mn)	
Molybdenum (Mo)	0.0005%
Zinc (Zn)	0.05%
0.05% Chelated Zinc (Zn)	
Derived From: Potassium Phosphate, Potassium Nitrate, Potassium Sulfate, Copper EDTA, Iron EDTA, Manganese EDTA, Zinc EDTA, Magnesium Sulfate, Sodium Borate and Ammonium Molybdate.	
Chelating agent is EDTA (ethylenediaminetetraacetic acid).	
Chlorine (Cl) maximum	0.26%
Potential Basicity equivalent to 100 lbs. Calcium Carbonate (CaCO ₃) per ton.	

F501

SUGGESTED DIRECTIONS

General use: 5 to 10 lbs. per acre. Use this product as a foliar application to supplement the normal soil applied fertility program. Can be applied by aircraft at rates equivalent to one pound in one gallon of water, per acre. For back-pack sprayers use at the rate of 6 grams per liter or 4 teaspoonfuls per gallon.

CAN BE USED WITH NU-FILM-P® OR NU-FILM-17®

COMPATIBILITY: CROP FINISHER is compatible with most pesticides commonly used on vegetable, fruit and agronomic crops. **CAUTION:** Do not use with Dormant Oil, Lime Sulfur, Spray Lime, or highly alkaline spray materials. Add **CROP FINISHER** to the spray tank or pre-mix tank when it is about half full. Agitation in the tank is preferred to increase the speed of solubility. Where extremely cold water is used, allow a few extra minutes for the product to completely dissolve before spraying.

APPLES, PEACHES, PEARS, PLUMS, NECTARINES, APRICOTS, CHERRIES, CITRUS, WALNUTS, PECANS AND ALMONDS: Use at the rate of 2 lbs. per 100 gals. of water when applying in dilute sprays or 5 to 10 lbs. per acre when applying with concentrate sprayers. Begin applications 1 to 2 months before harvest to finish fruit sizing, enhance color and sugar development. For most tree crops, 2 to 4 applications are desirable.

STRAWBERRIES: Use at the rate of 5 to 10 lbs. per acre starting 10 to 14 days before the first picking. Continue applications at 7 to 10 day intervals throughout the production season.

GRAPES, RASPBERRIES, CRANBERRIES AND BLUEBERRIES: Use at the rate of 5 to 10 lbs. per acre starting 4 to 6 weeks before harvest. Apply 2 to 4 applications for best results.

ROW CROPS (SOYBEANS, PEANUTS, FIELD CORN, POPCORN, SUGAR BEETS, TABLE BEETS AND SWEET POTATOES): Use at the rate of 5 to 10 lbs. to improve finishing quality. Apply 2 to 4 applications for best results.

COTTON: To stimulate boll development, maturity, and fiber strength, apply **CROP FINISHER** as a foliar spray at the rate of 5 to 10 lbs. per acre. Applications should begin directly after peak bloom, and continue at 7 to 10 day intervals. Apply 2 to 4 applications for best results.

WHEAT, BARLEY, OATS, RYE AND RICE: Apply at the rate of 5 lbs. per acre to improve crop quality. This application will help to strengthen the stalks and reduce lodging.

SEED CROPS (ALFALFA, CLOVER AND GRASS): To improve crop growth and yield, apply 5 to 10 lbs. per acre just prior to head formation. To further stimulate yield, 1 additional application is desirable, applied 7 to 10 days later.

TOMATOES, PEPPERS, CUCUMBERS, MELONS AND SQUASH: Use at the rate of 5 to 10 lbs. per acre. First application should be made at first fruit set. Apply additional applications at 7 to 10 day intervals to improve quality and strengthen vines. Apply 2 to 4 applications for best results.

POTATOES: Use at the rate of 5 to 10 lbs. to improve finishing quality. Apply 2 to 4 applications for best results.

CELERY, LETTUCE, ENDIVE, BROCCOLI, CABBAGE, CAULIFLOWER, BRUSSELS SPROUTS, KALE AND SPINACH: Use at the rate of 5 to 10 lbs. to improve finishing quality. Apply 2 to 4 applications for best results.

CARROTS, PARSLEY, ASPARAGUS: Use at the rate of 5 to 10 lbs. to improve quality. Apply 2 to 4 applications for best results.

BEANS, PEAS, SWEET CORN, LENTILS AND ONIONS: Use at the rate of 5 to 10 lbs. to improve finishing quality. Apply 2 to 4 applications for best results.

Miller **CROP FINISHER** is a late season material designed to complement a complete foliar crop production program. Miller products such as Nutri-Leaf, Sol-U-Gro, 30-10-10, Microplex, Cytokin and Calcium Chelate have been especially formulated to enhance early to mid-season crop development and may be combined with **CROP FINISHER** depending on the desired result.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

Use this product in accordance with good agronomic practices, which include utilizing proven spray equipment set for proper coverage. Do not make applications when temperatures are too hot. Applications should be made at temperature levels and when other environmental conditions in your area are such that your experience indicates the application will be compatible and will accomplish the desired result.

The use of this material being beyond our control and involving elements of risk to human beings, animals and vegetation, we do not make any warranty, express or implied as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

Information concerning the raw materials composing this product can be obtained by writing to Miller Chemical & Fert., LLC, P.O. Box 333, Hanover, PA 17331. Please refer to the batch number found on this container.
© Copyright 1991 - Miller Chemical & Fertilizer, LLC

KEEP OUT OF REACH OF CHILDREN

**Manufactured By
MILLER CHEMICAL & FERTILIZER, LLC
P.O. Box333
Hanover, Pennsylvania 17331, U.S.A.**

Net Weight 25 lb (11.34 kg)